

DCC Hermann-Wandersleb-Ring 4 53121 Bonn Germany

 Phone:
 +49 - (0)228 / 308901 - 0

 Fax:
 +49 - (0)228 / 308901 - 9

 E-mail:
 info@dermaconsult.com

 Web:
 www.dermaconsult.com

 Date:
 10.07.2020

In-Use Skin Tolerance Observation (Repeated Open Application Test) on Infants / Small Children Conducted With "Sansin Baby shampoo and bath Pink Duck"

(09.04.2021)

(Cosmetic Trial)

Summary

| Study Sponsor | : ChemCore Impex Kft. 1022 Budapest Szemlőhegy utca 6. Hungary | | | | |
|---|---|---|--|--|--|
| Performance of Testand Evaluation by | : Derma Consult Concept GmbH Hermann-Wandersleb-Ring 4 53121 Bonn Germany | Hermann-Wandersleb-Ring 4 53121 Bonn | | | |
| Date of Order | : 20.05.2020 | | | | |
| Study Code | : DCC20U051 | | | | |
| Study Objective | : To evaluate skin tolerance of the te for regular use on infants / small ch additive. | | | | |
| Supervisors of Study | | Dr. med. H. Prieur, Dermatologist – Allergist B. Nissen, Manager Derma Consult Concept | | | |
| Test Product | The test product, which was coded as follows, was provided by ChemCore Impex Kft. in May 2020 in retail packaging: | | | | |
| | A. Sansin Baby shampoo and bat Samples received labeled as "Sansin B | | | | |
| Subjects | : Number of individuals.: 30 Sex: 16 female Age range (at study start) : 6 month - | | | | |
| manager: Boris Nissen bank account: Sparkasse KölnBon IBAN: DE89 3705 0 | | district court Bonn HRB 12566 VAT-REG.No. DE 209873944 Tax No. 205/5711/0927 | | | |

| Test Area | : Hair (use as shampoo) / Body & hair (use as bath additive) | | | | |
|-------------|---|---|--|--|--|
| Application | | 28 days Min. 2 times weekly (incl. min. once weekly as bath additive) (sole replacement for any shampoo & bath additive) | | | |
| Test Period | : June / July 20 | 20 | | | |
| Result | : Overall, the test product showed good skin compatibility under the given test conditions and it can be concluded that in normal use the test product is safe and can be used on infants / small children as shampoo and bath additive. | | | | |

Study Objective

To evaluate skin tolerance of the test product and its suitability for the use on infants / small children in conditions of regular use as shampoo and bath additive.

Performance of Test

To respect the SARS-CoV-2 related legal requirements in place at the time of conduct of the study, a contact minimized study protocol was employed.

For ethical reasons, the test was only started after successful completion of a prior patch test (test report Derma Consult GmbH, 08.07.2019: "Sansin Baby Shampoo for Her" Batch No.: 1/27/05/2019). The subjects were selected from the Derma Consult Concept GmbH database. The respective guardians were informed about importance and meaning of the study and written informed consent was obtained prior to entry of their child into the trial. The following criteria were used for selection of the children:

for inclusion in study:

- between 6 month and 4 years of age
- fundamentally clinically healthy
- ability to comply with the requirements of the study

for exclusion from study:

- skin diseases or any other medical condition interfering with the objectives of the study
- planned medical treatment or vaccination during study period
- planned vacation during study period

On the initial visit to the test institute, the guardians were questioned on the medical history of their child and the skin condition of the children was examined; only children in good health matching the in- and exclusion criteria were permitted to participate in the study. The guardians could withdraw their children from the study at any time without giving any reason. Study participation was limited to one child per household.

On infants / small children a complete discontinuation of the regular treatment regime and sole use of the test product could ethically not be justified. In order to minimize interference of concurrent product use with the study objective, the test product was introduced to the guardians as replacement for the shampoo and bath additive they commonly used for their child and apart from this change to maintain their regular treatment regime (products & application frequency – e.g. sunscreen, nappy rash cream, face wash) with cosmetic care and cleansing products throughout the entire study.

After examination and collection of demographic data, the guardians were provided the test product along with the usage instructions and were asked to return to the test institute after 28 days of home use. They were reminded to use the provided test product as sole replacement for any shampoo and bath additive for their child. The usage frequency of the test product was set to minimum twice weekly, including minimum once weekly use as bath additive. The application amount was not standardized and the guardians instructed to shake the product before each use and to thoroughly rinse after each use. A more frequent use was expressly allowed, but not required. In case of any problems with the test product, suspected incompatibility or any change in the medical condition of the child, the guardians were instructed to immediately contact the study supervisor and schedule a visit to the test institute. Any such events were recorded.

The guardians of subjects completing the full treatment period were, on their concluding visit after 28 days of home use, questioned on their experience with the test product in use on their child with regard to skin tolerance or any other product related problems and the skin condition of the children was examined for any signs of irritative or allergic responses to the test product.

Questioning and data recording were conducted digitally using Keypoint 5.54 (MU + Data Entry, Cambridge Software Publishing, UK), a printout of the data recording instrument is included in appendix II.

Drop-outs / Incompatibilities

All children completed the study; they were, at the start of the study, between 6 month and 4 years of age (average: 2,3; 16 females, 14 males). No problems were observed in or reported by any of the guardians and in the examination of the children no signs of irritative or allergic responses to the test product could be detected.

At the beginning and end of the study, two of the children respectively showed minor redness on the bottom – reactions at a level commonly found and at the end of the study not attributable to the use of the test product.

The concluding study visit of subject 12 was delayed by 2 days for personal reasons unrelated to the conduct of the study – the guardians continued product treatment on their child. Considering the short delay of 2 days in relation to the overall planned for application phase of the study (28 days), the study supervisors accepted the timing deviation as preferable to a reduced subject number by excusing the subject form the study.

Conclusion

Overall, the test product showed good skin compatibility under the given test conditions and it can be concluded that in normal use the test product is safe and can be used on infants / small children as shampoo and bath additive.

Signature:

B. Nissen Manager Derma Consult Concept

Signature:

Dr. med. H. Prieur Dermatologist - Allergist

Appendix I: Tabulated subject data Appendix II: Data recording instrument (printout)

Appendix I:

Tabulated subject data

Sansin Baby shampoo and bath Pink Duck (09.04.2021)

| | | | | | | | | | | Reported Problems | | ns |
|-----------------------|--------|------------|---------|--------------------|-----------------------|------------------------------------|--------------------|--------------------------------------|---------------|--------------------|----------|---------------------|
| Subject | Sex | Ag (y / | | Inclusion criteria | Exclusion criteria | Anomalies – Start | Regular completion | Unplanned termination - reason | Prob- lems | Obs. discomfort | Redness | Dryness/ Scaling |
| | M | 14 | 3 | Yes/Yes/Yes/Yes | No/No/No/No | Anomanes – Start | Yes | Teason | No | uisconnort | Reuliess | Scaling |
| 2 | F | | 3 0 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 3 | Г | - | 2 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 4 | F | | ∠ 10 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 5 | Г | | 10 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | | - | - |
| 5 6 | F | | 5 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 0 | M | | 5 0 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | | - | - |
| 8 | M | | 0 7 | Yes/Yes/Yes/Yes | No/No/No/No | - Minor roddoning in nonny area | Yes | - | No | - | - | - |
| 0 9 | | v | ' | Yes/Yes/Yes/Yes | No/No/No/No | Minor reddening in nappy area | Yes | - | No | - | - | - |
| 9 10 | M F | - | 11 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 10 | F | _ | 0 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 12* | г М | - | 11 6 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| | F | - | - | | | - | | - | | - | - | - |
| 13 14 | • | | 10 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes Yes | - | No | - | - | - |
| | F | 2 | 1 | Yes/Yes/Yes/Yes | No/No/No/No | - | | - | No | - | - | - |
| 15 | • | 1 | 5 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 16 | M | 1 | 3 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 17 | F | | 8 | Yes/Yes/Yes/Yes | No/No/No/No | Minor reddening in nappy area | Yes | - | No | - | - | - |
| 18 | F | | 3 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 19 | М | | 6 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 20 | M | 4 | 5 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 21 | F | • | 8 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 22 | F | | 11 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 23 | F | 3 | 2 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 24 | М | | 6 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 25 | Μ | 4 | 3 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 26 | F | | 8 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 27 | М | | 10 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 28 | F | | 0 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 29 | F | 1 | 8 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |
| 30 * ann alualin a | M | 1 | 4 | Yes/Yes/Yes/Yes | No/No/No/No | - | Yes | - | No | - | - | - |

* concluding study visit delayed

Sansin Baby shampoo and bath Pink Duck (09.04.2021)

| | Reported Problems | | | | | | |
|---------|-------------------|-------|-------------------|---------|----------|---------------------|-------------------------------|
| | | | Eye irritation | | Other | | |
| Subject | Rash | Edema | irritation | Tearing | problems | Problem description | Anomalies – End |
| 1 | - | - | - | - | - | - | - |
| 2 | - | - | - | - | - | - | - |
| 3 | - | - | - | - | - | - | - |
| 4 | - | - | - | - | - | - | - |
| 5 | - | - | - | - | - | - | - |
| 6 | - | - | - | - | - | - | - |
| 7 | - | - | - | - | - | - | - |
| 8 | - | - | - | - | - | - | - |
| 9 | - | - | - | - | - | - | - |
| 10 | - | - | - | - | - | - | - |
| 11 | - | - | - | - | - | - | - |
| 12* | - | - | - | - | - | - | - |
| 13 | - | - | - | - | - | - | Minor reddening in nappy area |
| 14 | - | - | - | - | - | - | - |
| 15 | - | - | - | - | - | - | - |
| 16 | - | - | - | - | - | - | - |
| 17 | - | - | - | - | - | - | Minor reddening in nappy area |
| 18 | - | - | - | - | - | - | - |
| 19 | - | - | - | - | - | - | - |
| 20 | - | - | - | - | - | - | - |
| 21 | - | - | - | - | - | - | - |
| 22 | - | - | - | - | - | - | - |
| 23 | - | - | - | - | - | - | - |
| 24 | - | - | - | - | - | - | - |
| 25 | - | - | - | - | - | - | - |
| 26 | - | - | - | - | - | - | - |
| 27 | - | - | - | - | - | - | - |
| 28 | - | - | - | - | - | - | - |
| 29 | - | - | - | - | - | - | - |
| 30 | - | - | - | - | - | - | - |

* concluding study visit delayed

Appendix II

Data recording instrument (printout)

Verträglichkeit / Skin Compatibility Sansin Baby shampoo and bath Pink Duck - Start

| Q1. Probandennummer / S | Subject No. | |
|----------------------------|----------------------|-----------------|
| Q2. Alter des Kindes (J/M) | / Age of child (y/m) | |
| Q3. Geschlecht / Gender | weiblich / female | männlich / male |

Q4. Einschlusskriterien / Inclusion Criteria

| | Ja / Yes | Nein / No |
|--|----------|-----------|
| Q4.1. 6 Monate <= Alter <= 4 Jahre / 6 month <= age <= 4 years | | |
| Q4.2. Grundsätzlich klinisch gesund / fundamentally clinically healthy | | |
| Q4.3. Bedingungen der Studie erfüllbar / ability to comply with study requirements | | |
| Q4.4. Einverständniserklärung der Erziehungsberechtigen liegt vor / written consent of the legal guardians is available | | |
| | | |

Q5. Ausschlusskriterien / Exclusion Criteria

| | | Ja / Yes | Nein / No |
|-------|---|----------|-----------|
| Q5.1. | Alter / Age > 4 Jahre / years oder / or < 6 Monate / month | | |
| Q5.2. | (Haut-)Erkrankung, die mit den Zielen dieser Untersuchung nicht vereinbar ist / (Skin-)disease incompatible with the goals of the study | | |
| Q5.3. | Geplante medizinische Behandlung oder Impfung in nächsten 4 Wochen / planned medical treatment or inoculation during next 4 weeks | | |
| Q5.4. | Geplanter Urlaub in nächsten 4 Wochen / planned vacation during next 4 weeks | | |
| - | | | |

Q6. Auffälligkeiten Start / Anomalies start:

| Verträglichkeit / Skin Compatibility Sansin Baby shampoo and bath Pink Duck - Ende / End | | | | | | | | |
|---|--|---|--|--|--|--|--|--|
| Q7. | Reguläre Beendigung der Studie / Regular completion of study | Ja / Yes | Nein* / No* | | | | | |
| | Q8. *Unplanmäßige Beendigung - | Begründung / Unplanned termina | ation - reason | | | | | |
| | | | | | | | | |
| Q9. | Probleme während der Studie / Problems during study | Ja* / Yes* [| Nein / No | | | | | |
| | Q10. Probleme während der Studie (bei zuvor bestehenden Symptomen verstärktes oder vermehrtes Auftreten) / | Beob. Missempfindung (Brennen / Jucken)* / Observe discomfort (stinging / itching)* | d 🗌 Ödem* / Edema* | | | | | |
| | Problems during study (in case of previously present symptoms intensified or more frequent occurrence) | Rötung* / Redness* | Irritation der Augen* / Eye irritation* | | | | | |
| | | Schuppung o. Austrocknung* / Dryness o. Scaling* | Tränende Augen* / Tearing* | | | | | |
| | | Ausschlag* / Rash* | Sonstige Probleme* / Other problems* | | | | | |

Q11. *Beschreibung Probleme od. Unverträglichkeiten / Description problems or incompatibilities

Q12. Auffälligkeiten Ende / Anomalies end:

_

L____

1

i.

_